

Do you wish to speak in support of your submission at the hearing?: Yes

I am able to attend: Morning, Afternoon

I intend to attend: In-person

Would you like to be added to our database to be notified of future consultations?: Yes

Your Details

Full Name: Fraser Alister Mckenzie

Do you agree with our preferred option or do you support another option?

Drinking water meters:

Let us know why:

Elderly Persons Housing:

Let us know why:

What do you think about our plans for our other projects and activities?: Montalto Water Scheme I'm opposing the proposed increase in the rates for this water scheme , a nearly 4x increase over the next 10 years to pay for the membrane treatment plant is unsustainable for any farm or business. Most of the water is drunk by stock or lost to leaks and only supplies approximately 40 houses. Treating all of the water at the top of the scheme does not guarantee that the water coming out of the kitchen tap is also clean, cross contamination is a problem. Treatment at point of use needs to be considered. Looking at a map of Montalto a lot of the houses are in clusters of 3-4 all within 500m of each other , in this situation one small treatment plant could serve each bubble. This way the number of smaller treatment plant could be reduced to maybe 12-15 I have only 114Ha and one house on the scheme yet under this proposal I will be paying a total of \$144,000 over the next 10 years. If this proposal is adopted I would like the option to leave the scheme and source my water from elsewhere, I can see others wanting to also leave. ADC has allowed this to happen with the stockwater races over other parts of the district and then when number get so low they shut down the whole scheme, this is a major risk on the Montalto Water Scheme. Fraser Mckenzie